




Traditional Quality, Contemporary Style





The main cabin is the below decks social center of the Morgan 44. The warm glow of hand finished wood, polished brass light fixtures and soft fabrics create a comfortable, inviting space for relaxing and dining.

The focal point of the main cabin is the salon table. This beautiful, traditional piece of furniture exemplifies Morgan's pride in craftsmanship.



Good food is essential for a successful cruise. Meal preparation should be an enjoyable part of life aboard a cruising yacht.

The galley design of the Morgan 44 recognizes this fact and creates a pleasant environment for the cook. The "U" shaped galley surrounds the cook with counters of crisp white laminate and teak trim and large separate refrigerator and freezer compartments. There are also two deep, stainless steel sinks and a gimballed stove with oven.

There are cabinets large enough for your biggest pots

There are cabinets large enough for your biggest pots, a full bank of drawers for utensils and space for dry

A microwave cabinet is built in above the counter aft. A large window and opening overhead hatch keep the galley bright and well ventilated.

The navigation desk is located for comfortable, efficient use at sea. Ample space is provided for electronics directly above the nav. desk The aft cabin is a luxurious retreat that rewards the owner with the privacy and comfort expected in a

fine yacht.
The double berth is on the centerline with reading lamps and upholstered cushions, surrounded by drawers, bins and a hanging locker to port and additional storage and a dressing vanity to star-

There is a large skylight, opening hatch overhead and five opening ports to ensure good ventilation in any climate.



The owner's head aft is accessible only to the owner's cabin, ensuring

The owner's head has a unique, full bathtub with shower.

The Morgan 44

The Morgan 44 is a sleek and swift cruising yacht designed to reward the experienced sailor with outstanding performance while keeping the ships company in comfort and

By starting with a graceful hull with a fine entry and full sections midships and aft, and employing a semi-balanced rudder and cruising fin keel, a high level of performance and the volume required for luxury accommodations are possible.

The deck is unique among center cockpit yachts her size. The high bulwarks create a sense of seaworthiness and security. The cockpit is deep with high, secure, comfortable coamings. The coaming caps are wide, creating a second seating level in the cockpit.

The aft deck is large enough to accommodate deck chairs. The hatch to the large lazarette locker below is flush for maximum useable deck space. The forward end of the trunk cabin is gently angled and textured for safety on the foredeck. The non-skid texture and contrasting colors are molded in for safety and durable good looks.

The interior is a skillful blending of traditional warm yacht finishes and bright, low maintenance materials creating an atmosphere conducive to elegant entertaining or extended living aboard.


The accommodations are stretched the length of the vessel, insuring privacy for the owner and guests with well separated staterooms and private heads. The salon level galley is designed to keep the cook sheltered from main cabin traffic yet included in the conversation and social activity. The galley is bright and well ventilated. There is lots of counter space. storage and a huge divided ice chest/ freezer. Cooking aboard the Morgan 44 is an enjoyable task.

The Morgan 44 is a proper yacht. The walkin engine room is sound insulated, and will accommodate all the mechanical ammenities you require for a comfortable life aboard.

Engine maintenance can be properly performed without disturbing the living quarters, all major mechanical components are centrally located in the engine room.

Mechanical, electrical and plumbing systems are to Morgans very high standards.

The Morgan 44 exemplifies Morgan Marine's dedication to excellence and value in cruising vachts.



Printed in the U.S.A.

Catalina||Yachts

SUGGESTED PRICE LIST & ORDER FORM STANDARD EQUIPMENT

SPARS AND RIGGING

Sloop rig with airfoil section, double spreaders Complete standing and running rigging Internal pre-stretched dacron rope halvards Mast/boom painted white

PVC wiring conduit with messenger inside mast

SAIL HANDLING EQUIPMENT

Boom vang

(2) Lewmar 43 self-tailing genoa sheet winches

(1) Lewmar 40 self-tailling mainsheet winch

(2) Lewmar 16 2-speed halyard winches (mast mounted)

(2) 10" lock-in winch handles

Mainsheet traveller with car and stops

Genoa tracks, inboard

Genea turning blocks

Jiffy reefing

Sheet stoppers on boom

PROPULSION, STEERING & CONTROLS

Fresh water cooled diesel angine with reduction gear

3 blade bronze propeller

Edson mechanical steering pedestal with brake, guard and engine controls

32" destroyer wheel with stainless steel pedestal quard

Storize sea water strainor

Fully instrumented engine controls with temperature and oil pressure alarms Emergency tiller

DECK & EXTERIOR HARDWARE

Teak capped bulwarks

Aluminum double anchor roller check

Custom welded double rail stainless steel bow and stern rails

Folding stainless steel swim ladder on stern

Double vinyl-coated lifelines with gates port and starboard

2 fixed ports

13 opening ports

9 opening deck hatches

2 dorades

Mooring cleats, 2 fore and 2 aft

Midship springline cleats

Teak handrails

2 pairs of chocks

Stainless steel rubrail

2 cockpit storage lockers

5" illuminated compass

Inboard chain plates

Contrasting beige non-skid color

INTERIOR

Satin varnished interior throughout Varnished teak and holly sole throughout Teak veneer panelling on main bulkheads Mica-covered countertops Navigation station with chart table, swivel seat

and chart storage

Custom covered foam cushions with deluxe fabrics.

Main salon settees port and starboard Port settee converts to double berth

Handrubbed teak varnished dinette table w/storage compartment

Private staterooms, forward and ait, each widouble berths, cabinets, and cedar lined hanging lockers

Varnished ash strips on hull sides

Passageway workbench with wet locker storage Two separate heads, each w/stainless steel sinks and cabinets with mirrored sliding doors

Aft head with separate tub/shower

Interior night light package

GALLEY

14.5 cu. ft. divided fiberglass lined icebox with racks-4" insulation

Deep double stainless steel sink

Storage tookers, cabinets and drawers

2 burner, gimballed L.P.G. stove with oven Separate hand pump for icebox discharge

PLUMBING SYSTEMS

Pressure water distribution system with filter at pump

Hot water heater with engine by-pass and 115V element.

1 alcetric bilge pump

1 manual bilge pump

Marine heads w/holding tanks plumbed to deck plates and overboard discharge

Water Tankage-215 gal. nominal, in two (2) water tanks

Fuel Tankage-50 gal, weldert aluminum baffled tank

Dockside pressure water

ELECTRICAL SYSTEMS

2 - 155 amp 12 volt marine hatteries International running lights

115 volt 30 amp shore power with 50 ft. cord & adaptor

Masthead, foredeck and steaming light

12 volt lighting throughout

All color coded wining

Custom 115V AC/12V DG modular electric panel.

Magnetic breakers with "On-Off" indicator lights in lieu of fuses in main panel

Ground fault circuit protection in galley and heads Extended 5 year Gel Coat Limited Warranty'

	OPTIONA	L EQUIPN	IENT	
MC 0320 MC 0406 MC 0465 MC 0249 MC 0531 MC 0239 MC 0410 MC 1601	CNG 4 burner Gas Systems stove in lieu of standard)	Commission	FABRIC Beige velour with beige guilted print N/C Blue velour with blue quilted print N/C Burgundy velour with mauve quilted print N/C RIGGING & SAIL HANDLING EQUIPMENT Hood Sea Furl roller furling gear 1,995.00 Lewmar 52 self-tailing genoa winches in fieu of standard 876.00 Cockpit seat cushions 305.00 White The Sand Tearge Soning Charge
	Deliver To			Deposit \$ Check No

2. For precise terms of the limited warranty please refer to the Limited Warranty Booklet.

MORGAN 44

PRINCIPAL SPECIFICATION LOA	NS 44'-0"			FRESH WATER	04m
DWL	35'-4"		/aT 🐧	CAPACITY ENGINE	215 gals 44 HF
BEAM	13'-6"	/		SAIL AREA	797 ft
DRAFT	5'-5"	//	The second secon	MEASUREMENT: I	53.2
DESIGNED WEIGHT	Togot Vone 	15		J	17.5
Approx.) 23	1,500 lbs.	$\mathcal{A}_{\mathcal{A}}$		P	
	,200 lbs.	1.5		E	
FUEL CAPACITY	50 gals.	1/40	4	All measurements are ap	***************************************
			0		
	the state of the s				
		an edin			
	1				
			BEI,		>
		المالية			
					The state of the s
	And the second s		4		1
					Service Constitution of the Constitution of th
					·
V					

MORGAN 44

7200 BRYAN DAIRY RD. • LARGO, FL 34647

Catalina||Yacl

SUGGESTED PRICE LIST & ORDER FORM | STANDARD EQUIPMENT

SAILS

Mainsail, 7.5 Oz. Dacron with two reefs 135% Genoa, 7.5 Oz. Dacron with sheets SPARS AND RIGGING

Sloop rig with airfoil section, double spreaders Complete standing and running rigging Internal pre-stretched dacron rope halyards Mast/boom painted white

PVC wiring conduit with messenger inside mast

SAIL HANDLING EQUIPMENT

Boom vang

- (2) Lewmar 43 self-tailing genoa sheet winches
- (1) Lewmar 40 self-tailing mainsheet winch
- (2) Lewmar 16 2-speed halyard winches (mast mounted)

(2) 10" lock-in winch handles

Mainsheet traveler with car and stops Genoa tracks, inboard

Genoa tracks, inboard Genoa turning blocks

Jiffy reefing

Sheet stoppers on boom

PROPULSION, STEERING & CONTROLS

Fresh water cooled diesel engine with reduction gear

3 blade bronze propeller

Edson mechanical steering pedestal with brake, guard and engine controls

32" destroyer wheel with stainless steel pedestal guard

Bronze sea water strainer

Fully instrumented engine controls with temperature and oil pressure alarms

Emergency tiller

DECK • EXTERIOR HARDWARE

Teak capped bulwarks
Aluminum deuble anchor roller chock

Oustom weiged double rail stainless steel bow and stern rails

MORGANIAA COMPLETE WITH STANDARD FOLIPMENT

Folding stainless steel swim ladder on stern Stainless steel rubrail

Double vinyl-coated lifelines with gates port and starboard

2 fixed ports

13 opening ports

9 opening deck hatches

2 dorades

Mooring cleats, 2 fore and 2 aft

Midship springline cleats

Teak handrails

2 pairs of chocks

2 cockpit storage lockers

5" illuminated compass

Inboard chain plates

Contrasting beige non-skid color

Blue waterline and red sheer stripe

INTERIOR

Satin varnished interior throughout Teak veneer panelling on main bulkheads

Mica-covered countertops

Navigation station with chart table, swivel seat and chart storage

Custom covered foam cushions with deluxe fabrics.

Main salon settees port and starboard Port settee converts to double berth

Handrubbed teak varnished dinette table w/storage compartment

Private staterooms, forward and aft, each w/double berths, cabinets, and cedar lined hanging lockers

Varnished ash strips on hull sides Passageway workbench with wet locker storage Two separate heads, each w/stainless steel

sinks and cabinets with mirrored sliding doors Aft head with separate tub/shower Interior night light package

GALLEY

14.5 cu. ft. divided fiberglass lined icebox with racks - 4" insulation

Deep double stainless steel sink

Storage lockers, cabinets and drawers

2 burner, gimballed L.P.G. stove with oven

Separate hand pump for icebox discharge

PLUMBING SYSTEMS

Pressure water distribution system with filter at pump

Hot water heater with engine by-pass and 115V element.

1 electric bilge pump

1 manual bilge pump

Marine heads w/holding tanks plumbed to deck plates and overboard discharge

Water Tankage - 215 gal. nominal, in two (2) water tanks

Fuel Tankage - 50 gal. welded aluminum baffled tank

Dockside pressure water

ELECTRICAL SYSTEMS

2 - 155 amp 12 volt marine batteries international running lights

115 volt 30 amp shore power with 50 ft. cord & adaptor

Masthead, foredeck and steaming light 12 volt lighting throughout

All color coded wiring

Custom 115V AC/12V DC modular electric panel.

Magnetic breakers with "On-Off" indicator lights in lieu of fuses in main panel

Ground fault circuit protection in galley and heads

Extended 5 year Gel Coat Limited Warranty*

		OPTIONAL EG	QUIPMENT	
MC 9320	Additional cabine	TERIOR EQUIPMENT - sts in main salon, Pts\$495.00	MC 0983	Cockpit seat cushions
MC 0406 MC 0465 MC 0249	Icebox freezer/re	40 amp marine	STD. MC 3702	Mainsail, 7.5 Oz. Dacron w/1Reef
MC 0532 MC 0239 MC 0410	vindlass 1495.00 I-down table 285.00 radio, from - rt table 225.00	STD MC 3707	Flaking System, in Lieu of Std	
MC 1601 Anti-Fouling Bottom Paint			MC 3711 STD.	in Lieu of Std. 135% Genoa
MC 0704 MC 0821	Hood Sea Furl ro Lewmar 52 self-t	Sea Furl roller furling gear\$1,995.00 ar 52 self-tailing genoa winches of standard875.00		Freight Charge
	ONS			P.O. No Deposit \$
Date	Ву	Customer		Check NoHull No

Note: 1. All prices and specifications are subject to change at any time including after receipt of the customer's order, until final delivery to the customer.

2. For precise terms of the limited warranty please refer to the Limited Warranty Booklet.

OFFICE USE ONLY

\$134 950 00 EOB

7200 BRYAN DAIRY RD. • LARGO, FL 34647

Catalina||Yachts

■ SUGGESTED PRICE LIST & ORDER FORM I STANDARD EQUIPMENT

SAILS

Mainsail, 7.5 Oz. Dacron with two reefs 135% Genoa, 7.5 Oz. Dacron with sheets

SPARS AND RIGGING

Sloop rig with airfoil section, double spreaders Complete standing and running rigging Internal pre-stretched dacron rope halyards Mast/boom painted white

PVC wiring conduit with messenger inside mast

SAIL HANDLING EQUIPMENT

Boom vang

(2) Lewmar 43 self-tailing genoa sheet winches

(1) Lewmar 40 self-tailing mainsheet winch

(2) Lewmar 16 2-speed halyard winches (mast mounted)

(2) 10' lock-in winch handles

Mainsheet traveler with car and stops

Genoa tracks, inboard

Genoa turning blocks

Jiffy reefing

Sheet stoppers on boom

PROPULSION, STEERING & CONTROLS

Fresh water cooled diesel engine with reduction gear

3 blade bronze propeller

Edson mechanical steering pedestal with brake, guard and engine controls

32" destroyer wheel with stainless steel pedestal guard

ronze sea water strainer

Fully instrumented engine controls with temperature and oil pressure alarms

Emergency tiller

DECK · EXTERIOR HARDWARE

Teak capped bulwarks

Aluminum double anchor roller chock Custom welded double rail stainless steel bow

and stern rails

Folding stainless steel swim ladder on stern Stainless steel rubrail

Double vinyl-coated lifelines with gates port and starboard

2 fixed ports

13 opening ports

9 opening deck hatches

2 dorades

Mooring cleats, 2 fore and 2 aft

Midship springline cleats

Teak handrails

2 pairs of chocks

2 cockpit storage lockers

5' illuminated compass

Inboard chain plates

Contrasting beige non-skid color

Blue waterline and red sheer stripe

INTERIOR

Satin varnished interior throughout Teak veneer panelling on main bulkheads

Mica-covered countertops Navigation station with chart table, swivel seat

and chart storage

Custom covered foam cushions with deluxe fabrics.

Main salon settees port and starboard

Port settee converts to double berth

Handrubbed teak varnished dinette table w/storage compartment

Private staterooms, forward and aft, each

w/double berths, cabinets, and cedar lined hanging lockers

Varnished ash strips on hull sides

Passageway workbench with wet locker storage Two separate heads, each w/stainless steel

sinks and cabinets with mirrored sliding doors Aft head with separate tub/shower

Interior night light package

GALLEY

14.5 cu, ft. divided fiberglass lined icebox with racks - 4" insulation

Deep double stainless steel sink

Storage lockers, cabinets and drawers

2 burner, gimballed L.P.G. stove with oven Separate hand pump for icebox discharge

PLUMBING SYSTEMS

Pressure water distribution system with filter

Hot water heater with engine by-pass and 115V element.

1 electric bilge pump

1 manual bilge pump

Marine heads w/holding tanks plumbed to deck plates and overboard discharge

Water Tankage - 215 gal. nominal, in two (2) water tanks

Fuel Tankage - 50 gal, welded aluminum baffled tank

Dockside pressure water

ELECTRICAL SYSTEMS

2 - 155 amp 12 volt marine batteries

international running lights 115 volt 30 amp shore power with 50 ft. cord

& adaptor

Masthead, foredeck and steaming light

12 volt lighting throughout

All color coded wiring

Custom 115V AC/12V DC modular electric nanel

Magnetic breakers with "On-Off" indicator lights in lieu of fuses in main panel

....\$139,875, F.O.B

Ground fault circuit protection in galley and neads

Extended 5 year Gei Coat Limited Warranty*

		OPTIONAL	EQUII	PMENT	
		INTERIOR & EXTERIOR EQUIPMENT		MC 0983	Cockpit seat cushions
-	MC 0320	Additional cabinets in main salon, Pts\$495.			White Sand
		Battery Charger, 40 amp marine		STD.	SAILS Mainsail, 7.5 Oz. Daoron w/2Ree/s
	140 0 400	1			

MC 3700 MC 0249 MC 0532 STD MC 0239 Teak cockpit fold-down table285. MC 3707 MC 0410 Coaxial cable for radio, from masthead to chart table225. Anti-Fouling Bottom Paint945. MC 1601 MC 3711

MC 4002 Two Upholstered Swivel Chairs and Table in Saloon in lieu of Port Settee895.

in lieu of standard875.

RIGGING & SAIL HANDLING EQUIPMENT MC 0704 Hood Sea Furl roller furling gear\$1,995. MC 0821 Lewmar 52 self-tailing genoa winches

MC 2709

305 Mainsail, 7.5 Oz. Dacron w/2 Reefs 495.

mainsaii, 7.5 Oz. Dacron w/2 Reefs Full Battens and Lazy Mate^{TA} Flaking System, in Lieu of Std. 135% Genoa 6.0 Oz. Dacron with Sheets 135% Genoa 7.1 Oz. Dacron for Furling (Option K3301) with Aeroluff & Reefing System U.V. Panels and Sheets, in Lieu of Std. 135% Canac

in Lieu of Std. 135% Genoa. Poleless Cruising Spinnaker

1.5 Oz. Nylon, Specify Color, A. B. 1,930.

Mainsail Cover with Class insignia Blue. 195.

State Tax

TERIOR CUSHIONS	
ealer	Deliver To

__ Customer__

P.O. No. _ Deposit \$ Check No. Hull No.

		1

Note: 1. All prices and specifications are subject to change at any time including after receipt of the customer's order, until final delivery to the customer.

2. For precise terms of the limited warranty please refer to the Limited Warranty Booklet.

OFFICE USE ONLY